

A List of Our Laptop Replacement Adapters We Sell:

| HP Series | | |
|-------------|----------------|-------------------------------|
| FY P/N | Model | Output DC Connector Size |
| FYHP185110A | HP 18.5V/1.1A | 5.5*2.1 yellow |
| FYHP185110B | HP 18.5V/1.1A | 5.5*2.5 yellow |
| FYHP185270A | HP 18.5V/2.7A | 4.8*1.7 yellow |
| FYHP185350A | HP 18.5V/3.5A | 4.8*1.7 yellow |
| FYHP185350B | HP 18.5V/3.5A | (4.75+4.2)*1.6 black |
| FYHP185350C | HP 18.5V/3.5A | 7.4*5.0 black with pin inside |
| FYHP185380A | HP 18.5V/3.8A | 4.8*1.7 yellow |
| FYHP185490A | HP 18.5V/4.9A | 5.5*2.5 yellow |
| FYHP185490B | HP 18.5V/4.9A | 4.8*1.7 yellow |
| FYHP185490C | HP 18.5V/4.9A | (4.75+4.2)*1.6 black |
| FYHP185490D | HP 18.5V/4.9A | 7.4*5.0 black with pin inside |
| FYHP185490E | HP 18.5V/4.9A | prolate-head with 5 hole |
| FYHP185630A | HP 18.5V/6.3A | 5.5*2.5 yellow |
| FYHP185650A | HP 18.5V/6.5A | 5.5*2.5 yellow |
| FYHP185650B | HP 18.5V/6.5A | 7.4*5.0 black with pin inside |
| FYHP185650C | HP 18.5V/6.5A | prolate-head with 5 hole |
| FYHP195205A | HP 19.5V 2.05A | (4.0+3.8)*1.7 yellow |
| FYHP190158A | HP 19V/1.58A | 4.0*1.7 yellow |
| FYHP190316A | HP 19V/3.16A | 5.5*2.5 yellow |
| FYHP190395A | HP 19V/3.95A | 5.5*2.5 yellow |
| FYHP190474A | HP 19V/4.74A | 5.5*2.5 yellow |
| FYHP190474B | HP 19V/4.74A | 4.8*1.7 yellow |
| FYHP190474C | HP 19V/4.74A | (4.75+4.2)*1.6 black |
| FYHP190474C | HP 19V/4.74A | 7.4*5.0 black with pin inside |
| FYHP190480A | HP 19V/4.8A | 5.5*2.5 yellow |
| FYHP190490A | HP 19V/4.9A | 5.5*2.5 yellow |
| FYHP190630A | HP 19V/6.3A | 5.5*2.5 yellow |
| FYHP190630B | HP 19V/6.3A | 7.4*5.0 black with pin inside |
| FYHP190630C | HP 19V/6.3A | prolate-head with 5 hole |
| FYHP190632A | HP 19V/6.32A | 5.5*2.5 yellow |
| FYHP190710A | HP 19V/7.1A | 5.5*2.5 yellow |
| FYHP190710B | HP 19V/7.1A | prolate-head with 5 hole |

| | | |
|-------------|-------------|-------------------------------|
| FYHP190710C | HP 19V/7.1A | 4 pin with round head |
| FYHP190710D | HP 19V/7.1A | 7.4*5.0 black with pin inside |
| FYHP190730A | HP 19V/7.3A | 5.5*2.5 yellow |
| FYHP190730B | HP 19V/7.3A | 4 pin with round head |
| FYHP190730C | HP 19V/7.3A | prolate-head with 5 hole |
| FYHP190770A | HP 19V/7.7A | 5.5*2.5 yellow |
| FYHP190770B | HP 19V/7.7A | 4 pin with round head |
| FYHP190770C | HP 19V/7.7A | prolate-head with 5 hole |
| FYHP190790A | HP 19V/7.9A | 5.5*2.5 yellow |
| FYHP190790B | HP 19V/7.9A | 4 pin with round head |
| FYHP190790C | HP 19V/7.9A | prolate-head with 5 hole |
| FYHP190950A | HP 19V/9.5A | 5.5*2.5 yellow |
| FYHP190950B | HP 19V/9.5A | 4 pin with round head |
| FYHP190950C | HP 19V/9.5A | prolate-head with 5 hole |
| FYHP200800A | HP 20V/8A | 4 pin with round head |
| FYHP320220A | HP 32V/2.2A | 4.8*1.5 yellow |

DELL Series

| FY P/N | Model | Output DC Connector Size |
|---------------|------------------|---------------------------------|
| FYDL190158A | DELL 19V/1.58A | 5.5*1.7 yellow |
| FYDL190316A | DELL 19V/3.16A | 5.5*2.5 yellow |
| FYDL190264A | DELL 19V/2.64A | line 3 pin |
| FYDL190264B | DELL 19V/2.64A | BIG MOUTH |
| FYDL195334A | DELL 19.5V/3.34A | 7.4*5.0 SLIM POWER |
| FYDL195334B | DELL 19.5V/3.34A | 7.4*5.0 black with pin inside |
| FYDL195334C | DELL 19.5V/3.34A | BIG MOUTH XPS |
| FYDL195462A | DELL 19.5V/4.62A | 7.4*5.0 SLIM POWER |
| FYDL195462B | DELL 19.5V/4.62A | 7.4*5.0 black with pin inside |
| FYDL195670A | DELL 19.5V/6.7A | 7.4*5.0 black with pin inside |
| FYDL195770A | DELL 19.5V/7.7A | 7.4*5.0 black with pin inside |
| FYDL195950A | DELL 19.5V/9.5A | 7.4*5.0 black with pin inside |
| FYDL200350A | DELL 20V/3.5A | special for DELL |
| FYDL200450A | DELL 20V/4.5A | special for DELL |
| FYDL200450B | DELL 20V/4.5A | 4 pin with round head |

Apple Series

| FY P/N | Model | Output DC Connector Size |
|---------------|------------------|---------------------------------|
| FYAP2401875A | APPLE 24V/1.875A | 9.5*3.5 big head |
| FYAP2401875B | APPLE 24V/1.875A | 7.7*2.5 small head |
| FYAP2401875C | APPLE 24V/1.875A | 7.7*2.5 small head (Square) |
| FYAP240200A | APPLE 24V/2A | 9.5*3.5 big head |
| FYAP240200B | APPLE 24V/2A | 7.7*2.5 small head |
| FYAP240265A | APPLE 24V/2.65A | 7.7*2.5 small head |
| FYAP240265B | APPLE 24V/2.65A | 9.5*3.5 big head |

| | | |
|--------------------------|------------------------|---------------------------------|
| FYAP245265A | APPLE 24.5V/2.65A | 7.7*2.5 small head (Square) |
| FYAP240270A | APPLE 24V/2.7A | 7.7*2.5 small head I |
| FYAP165365A | APPLE 16.5V/3.65A | prolate-head of magnet |
| FYAP185460A | APPLE 18.5V/4.6A | prolate-head of magnet |
| FYAP145310A | APPLE 14.5V/3.1A | prolate-head of magnet |
| ACER Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYAR190158A | ACER 19V/1.58A | 5.5*1.7 black |
| FYAR190158B | ACER 19V/1.58A | 5.5*2.5 black |
| FYAR190316A | ACER 19V/3.16A | 5.5*1.7 black |
| FYAR190316B | ACER 19V/3.16A | 5.5*2.1 black |
| FYAR190316C | ACER 19V/3.16A | 5.5*2.5 black |
| FYAR190342A | ACER 19V/3.42A | 5.5*1.7 black |
| FYAR190342B | ACER 19V/3.42A | 5.5*2.1 black |
| FYAR190342C | ACER 19V/3.42A | 5.5*2.5 black |
| FYAR190474A | ACER 19V/4.74A | 5.5*1.7 black |
| FYAR190474B | ACER 19V/4.74A | 5.5*2.1 black |
| FYAR190474C | ACER 19V/4.74A | 5.5*2.5 black |
| FYAR190474D | ACER 19V/4.74A | 7.4*5.0 black with pin inside |
| FYAR190630A | ACER 19V/6.3A | 5.5*2.5 black |
| FYAR190710A | ACER 19V/7.1A | 5.5*2.5 yellow |
| FYAR190730A | ACER 19V/7.3A | 5.5*2.5 yellow |
| FYAR190770A | ACER 19V/7.7A | 5.5*2.5 yellow |
| FYAR190790A | ACER 19V/7.9A | 5.5*2.5 yellow |
| FYAR190790B | ACER 19V/7.9A | 4 pin with round head |
| FYAR200600A | ACER 20V/6A | 5.5*2.5 black |
| FYAR190210A | ACER 19V/2.1A | 5.5*1.7 black |
| IBM/LENOVO Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYIM160250A | IBM 16V/2.5A | 5.5*2.5 yellow |
| FYIM160336A | IBM 16V/3.36A | 5.5*2.5 yellow |
| FYIM160350A | IBM 16V/3.5A | 5.5*2.5 yellow |
| FYIM160450A | IBM 16V/4.5A | 5.5*2.5 yellow |
| FYIM160750A | IBM 16V/7.5A | 4 pin with round head |
| FYIM190420A | IBM 19V/4.2A | 5.5*2.5 yellow |
| FYIM200325A | IBM/Lenovo 20V/3.25A | 7.9*5.5 yellow with pin inside |
| FYIM200325B | IBM/Lenovo 20V/3.25A | 5.5*2.5 yellow |
| FYIM200450A | IBM/Lenovo 20V/4.5A | 7.9*5.5 yellow with pin inside |
| FYIM200450B | IBM/Lenovo 20V/4.5A | 5.5*2.5 yellow |
| FYIM195615A | IBM/Lenovo 19.5V/6.15A | 5.5*2.5 yellow |
| SONY Series | | |
| FY P/N | Model | Output DC Connector Size |

| | | |
|-----------------------|--------------------|---------------------------------|
| FYSY105190A | SONY 10.5/1.9A | 4.8*1.7 black with pin inside |
| FYSY105290A | SONY 10.5/2.9A | 4.8*1.7 black with pin inside |
| FYSY160210A | SONY 16/2.1A | 6.0*4.4 black with pin inside |
| FYSY160375A | SONY 16V/3.75A | 6.0*4.4 black with pin inside |
| FYSY160400A | SONY 16V/4A | 6.0*4.4 black with pin inside |
| FYSY195215A | SONY 19.5V/2.15A | 6.0*4.4 black with pin inside |
| FYSY195230A | SONY 19.5/2.3A | 6.0*4.4 black with pin inside |
| FYSY195300A | SONY 19.5V/3A | 6.0*4.4 black with pin inside |
| FYSY195330A | SONY 19.5V/3.3A | 6.0*4.4 black with pin inside |
| FYSY195390A | SONY 19.5V/3.9A | 6.0*4.4 black with pin inside |
| FYSY195410A | SONY 19.5V/4.1A | 6.0*4.4 black with pin inside |
| FYSY195470A | SONY 19.5V/4.7A | 6.0*4.4 black with pin inside |
| FYSY195513A | SONY 19.5V/5.13A | 6.0*4.4 black with pin inside |
| FYSY195620A | SONY 19.5V/6.2A | 6.0*4.4 black with pin inside |
| FYSY195615A | SONY 19.5V/6.15A | 6.0*4.4 black with pin inside |
| FYSY195770A | SONY 19.5V/7.7A | 6.0*4.4 black with pin inside |
| TOSHIBA Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYTA150200A | TOSHIBA 15V/2A | 6.3*3.0 black round trip head |
| FYTA150300A | TOSHIBA 15V/3A | 6.3*3.0 black round trip head |
| FYTA150400A | TOSHIBA 15V/4A | 6.3*3.0 black round trip head |
| FYTA150500A | TOSHIBA 15V/5A | 6.3*3.0 black round trip head |
| FYTA150600A | TOSHIBA 15V/6A | 6.3*3.0 black round trip head |
| FYTA150800A | TOSHIBA 15V/8A | special 4 hole |
| FYTA150800B | TOSHIBA 15V/8A | 6.3*3.0 black round trip head |
| FYTA180110A | TOSHIBA 18V/1.1A | 5.5*2.1 black |
| FYTA190158A | TOSHIBA 19V/1.58A | 5.5*2.5 black |
| FYTA185350A | TOSHIBA 18.5V/3.5A | 5.5*2.1 black |
| FYTA190316A | TOSHIBA 19V/3.16A | 5.5*2.5 yellow |
| FYTA190316B | TOSHIBA 19V/3.16A | 6.3*3.0 black round trip head |
| FYTA190342A | TOSHIBA 19V/3.42A | 5.5*2.5 yellow |
| FYTA190342B | TOSHIBA 19V/3.42A | 6.3*3.0 black round trip head |
| FYTA190395A | TOSHIBA 19V/3.95A | 5.5*2.5 yellow |
| FYTA190474A | TOSHIBA 19V/4.74A | 5.5*2.5 yellow |
| FYTA190630A | TOSHIBA 19V/6.3A | 5.5*2.5 yellow |
| FYTA190630B | TOSHIBA 19V/6.3A | 6.3*3.0 black round trip head |
| FYTA210190A | TOSHIBA 21V/1.9A | quadrate-head with 4 hole |
| FYTA190950A | TOSHIBA 19V/9.5A | 4 pin with round head |
| FYTA190790A | TOSHIBA 19V/7.9A | 5.5*2.5 yellow |
| ASUS Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYAS0952315A | ASUS 9.5V/2.315A | 4.8*1.7 yellow |

| | | |
|-----------------------|-------------------|---------------------------------|
| FYAS120300A | ASUS 12V/3A | 4.8*1.7 yellow |
| FYAS190210A | ASUS 19V 2.1A | 2.3*1.0 |
| FYAS190210B | ASUS 19V 2.1A | 4.8*1.7 yellow |
| FYAS190210C | ASUS 19V 2.1A | 5.5*2.5 yellow |
| FYAS190246A | ASUS 19V/2.46A | 4.8*1.7 yellow |
| FYAS190264A | ASUS 19V/2.64A | 4.8*1.7 yellow |
| FYAS190316A | ASUS 19V/3.16A | 5.5*2.5 yellow |
| FYAS190342A | ASUS 19V/3.42A | 5.5*2.5 yellow |
| FYAS190474A | ASUS 19V/4.74A | 5.5*2.5 yellow |
| FUJITSU Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYFU160336A | FUJITSU 16V/3.36A | 6.0*4.4 black with pin inside |
| FYFU160350A | FUJITSU 16V/3.5A | 6.0*4.4 black with pin inside |
| FYFU160375A | FUJITSU 16V/3.75A | 6.0*4.4 black with pin inside |
| FYFU190316A | FUJITSU 19V/3.16A | 6.0*4.4 black with pin inside |
| FYFU190316B | FUJITSU 19V/3.16A | 5.5*2.5 yellow |
| FYFU190422A | FUJITSU 19V/4.22A | 5.5*2.5 yellow |
| FYFU190632A | FUJITSU 19V/6.32A | 6.5*3.0 black |
| FYFU190631A | FUJITSU 19V/6.32A | 5.5*2.5 yellow |
| FYFU190474A | FUJITSU 19V/4.74A | 5.5*2.5 yellow |
| FYFU200600A | FUJITSU 20V/6A | 5.5*2.5 yellow |
| SAMSUNG Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYSA120350A | SAMSUNG 12V/3.5A | 4.0*1.3 black with pin inside |
| FYSA140300A | SAMSUNG 14V/3A | 6.0*4.4 black with pin inside |
| FYSA140350A | SAMSUNG 14V/3.5A | 6.0*4.4 black with pin inside |
| FYSA160300A | SAMSUNG 16V/3A | 5.5*3.0 black with pin inside |
| FYSA160375A | SAMSUNG 16V/3.75A | 5.5*3.0 black with pin inside |
| FYSA190316A | SAMSUNG 19V/3.16A | 5.5*3.0 black with pin inside |
| FYSA190210A | SAMSUNG 19V/2.1A | 5.5*3.0 black with pin inside |
| FYSA190422A | SAMSUNG 19V/4.22A | 5.5*3.0 black with pin inside |
| FYSA190474A | SAMSUNG 19V/4.74A | 5.5*3.0 black with pin inside |
| LITEON Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYLT190210A | LITEON 19V 2.1A | 5.5*2.5 yellow |
| FYLT190316A | LITEON 19V 3.16A | 5.5*2.5 yellow |
| FYLT190342A | LITEON 19V 3.42A | 5.5*2.5 yellow |
| FYLT190395A | LITEON 19V 3.95A | 5.5*2.5 yellow |
| FYLT190474A | LITEON 19V 4.74A | 5.5*2.5 yellow |
| FYLT200200A | LITEON 20V 2A | 5.5*2.5 yellow |
| FYLT200325A | LITEON 20V 3.25A | 5.5*2.5 yellow |
| FYLT200450A | LITEON 20V 4.5A | 5.5*2.5 yellow |

| | | |
|-----------------------|-------------------|---------------------------------|
| FYLT200600A | LITEON 20V 6A | 5.5*2.5 yellow |
| FYLT190600A | LITEON 19V 6A | 5.5*2.5 yellow |
| FYLT190620A | LITEON 19V 6.2A | 4 pin with round head |
| FYLT190630A | LITEON 19V 6.3A | 5.5*2.5 yellow |
| FYLT190630B | LITEON 19V 6.3A | 4 pin with round head |
| FYLT190630C | LITEON 19V 6.3A | prolate-head with 5 hole |
| FYLT190650A | LITEON 19V 6.5A | prolate-head with 5 hole |
| FYLT190790A | LITEON 19V 7.9A | 4 pin with round head |
| FYLT190950A | LITEON 19V 9.5A | 4 pin with round head |
| FYLT190950A | LITEON 19V 9.5A | prolate-head with 5 hole |
| FYLT200800A | LITEON 20V 8A | 5.5*2.5 yellow |
| FYLT200800A | LITEON 20V 8A | 4 pin with round head |
| FYLT200900A | LITEON 20V 9A | 5.5*2.5 yellow |
| DELTA Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYDA120125A | DELTA 12V 12.5A | 5.5*2.5 yellow |
| FYDA120125B | DELTA 12V 12.5A | 4 pin with round head |
| FYDA190264A | DELTA 19V 2.64A | 4.8*1.7 yellow |
| FYDA190264B | DELTA 19V 2.64A | 5.5*2.5 yellow |
| FYDA190316A | DELTA 19V 3.16A | 5.5*2.5 yellow |
| FYDA190342A | DELTA 19V 3.42A | 5.5*2.5 yellow |
| FYDA190368A | DELTA 19V 3.68A | 5.5*2.5 yellow |
| FYDA200450A | DELTA 20V 4.5A | 5.5*2.5 yellow |
| FYDA190474A | DELTA 19V 4.74A | 5.5*2.5 yellow |
| FYDA190630A | DELTA 19V 6.3A | 5.5*2.5 yellow |
| LG Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYLG185350A | LG 18.5V/3.5A | 4.8*1.7 yellow |
| FYLG185350B | LG 18.5V/3.5A | 6.0*4.4 black with pin inside |
| FYLG190474A | LG 19V/4.74A | 6.0*4.4 black with pin inside |
| FYLG190474B | LG 19V/4.74A | (4.75+4.2)*1.6 black |
| Gateway Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYGW190316A | Gateway 19V/3.16A | 5.5*2.5 yellow |
| FYGW190368A | Gateway 19V/3.68A | 5.5*2.5 yellow |
| FYGW190395A | Gateway 19V/3.95A | 5.5*2.5 yellow |
| FYGW190474A | Gateway 19V/4.74A | 5.5*2.5 yellow |
| FYGW190790A | Gateway 19V/7.9A | 6.5*3.0 black round trip head |
| FYGW190790B | Gateway 19V/7.9A | 4 pin with round head |
| LCD Series | | |
| FY P/N | Model | Output DC Connector Size |
| FYLCD120200A | 12V 2A | 5.5*2.5 yellow |

| | | |
|--------------|------------|-------------------------------|
| FYLCD120250A | 12V 2.5A | 5.5*2.5 yellow |
| FYLCD120300A | 12V 3A | 5.5*2.5 yellow |
| FYLCD120330A | 12V 3.3A | 5.5*2.5 yellow |
| FYLCD120350A | 12V 3.5A | 5.5*2.5 yellow |
| FYLCD120400A | 12V 4A | 5.5*2.5 yellow |
| FYLCD120400B | 12V 4A | 6.0*4.4 black with pin inside |
| FYLCD120450A | 12V 4.5A | 5.5*2.5 yellow |
| FYLCD120500A | 12V 5A | 5.5*2.5 yellow |
| FYLCD120500B | 12V 5A | 4 pin with round head |
| FYLCD120600A | 12V 6A | 5.5*2.5 yellow |
| FYLCD120700A | 12V 7A | 5.5*2.5 yellow |
| FYLCD120800A | 12V 8A | 5.5*2.5 yellow |
| FYLCD120800B | 12V 8A | 4 pin with round head |
| FYLCD120900A | 12V 9A | 5.5*2.5 yellow |
| FYLCD120100A | 12V 10A | 4 pin with round head |
| FYLCD120100B | 12V 10A | 5.5*2.5 yellow |
| FYLCD120125A | 12V 12.5A | 5.5*2.5 yellow |
| FYLCD120125B | 12V 12.5A | 4 pin with round head |
| FYLCD095250A | 9.5V 2.5A | 4.8*1.7 yellow |
| FYLCD120400C | 12V 4A | 4.8*1.7 yellow |
| FYLCD180200A | 18V 2A | 5.5*2.5 yellow |
| FYLCD185350A | 18.5V 3.5A | 5.5*2.5 yellow |
| FYLCD190364A | 19V 2.64A | 5.5*2.5 yellow |
| FYLCD240200A | 24V 2A | 5.5*2.5 yellow |
| FYLCD240200B | 24V 2A | 4 pin with round head |
| FYLCD240300A | 24V 3A | 5.5*2.5 yellow |
| FYLCD240300B | 24V 3A | 4 pin with round head |
| FYLCD240500A | 24V 5A | 5.5*2.5 yellow |
| FYLCD240500B | 24V 5A | 4 pin with round head |
| FYLCD240750A | 24V 7.5A | 4 pin with round head |
| FYLCD240600A | 24V 6A | 4 pin with round head |
| FYLCD240600B | 24V 6A | 5.5*2.5 yellow |
| FYLCD260600A | 26V 6A | 5.5*2.5 yellow |

NEC Series

| FY P/N | Model | Output DC Connector Size |
|---------------|---------------|---------------------------------|
| FYNE150400A | NEC 15V/4A | 6.3*3.0 black round trip head |
| FYNE190264A | NEC 19V/2.64A | 4.8*1.7 yellow |
| FYNE190316A | NEC 19V/3.16A | 5.5*2.5 yellow |
| FYNE190630A | NEC 19V/6.3A | 5.5*2.5 yellow |
| FYNE190632A | NEC 19V/6.32A | 5.5*2.5 yellow |

BENQ Series

| FY P/N | Model | Output DC Connector Size |
|---------------|--------------|---------------------------------|
|---------------|--------------|---------------------------------|

| | | |
|-------------|-----------------|----------------|
| FYNE185350A | BENQ 18.5V/3.5A | 4.8*1.7 yellow |
| FYNE185350A | BENQ 18.5V/3.5A | 5.5*2.5 yellow |
| FYNE190342A | BENQ 19V/3.42A | 5.5*2.5 yellow |
| FYNE190342B | BENQ 19V/3.42A | 5.5*1.7 yellow |
| FYNE190474A | BENQ 19V/4.74A | 5.5*2.5 yellow |
| FYNE190474B | BENQ 19V/4.74A | 5.5*1.7 yellow |
| FYNE190474C | BENQ 19V/4.74A | 4.8*1.7 yellow |